

My common otolaryngology CPT codes.

Contents:

Modifiers
Biopsies
E&M
Ear
Endoscopy
Face
Flaps
Injections
Larynx
Laser
Miscellaneous
Neck
Oral
Pharynx+Esophagus
Sinonasal
Skin
Ultrasound
E&Ms

Modifiers:

- 22 Increased procedural services
- 24 Unrelated E&M during a postop period
- 25 Separately identifiable E&M on the same day of the Procedure
- 27 Multiple outpatient E&M encounters on the same date (FACILITY only)
- 52 Reduced services
- 57 Decision for surgery to take place <=24 hrs from initial encounter
- 50 Bilateral procedure
- 51 Multiple procedures (a CPT done more than once)
- 58 Staged or Related procedure during post-op period
- 59 Distinct Procedural service
- 62 Two surgeons
- 63 Procedure performed on infant < 4 kg
- 78 Unplanned return to OR for a related procedure during post-op period
- 79 Billing for unrelated procedure within postop period
 e.g. debridement after septoplasty
- 80 Assistant Surgeon
- 99 Multiple Modifiers

Biopsies:

Biopsy skin: 11104 (replaced 11100)
Biopsy of oropharynx 42800
Needle biopsy of salivary gland 42400
Nasopharynx (visible lesion, simple) 42804
Nasopharynx (survey for unknown primary) 42806
Excision or destruction of lesion of pharynx 42808 (papillomas!)

Sentinel node biopsy:

Superficial 38500; Deep 38510

Sentinel node with radiotracer: 38792

...and if methylene blue (or other non radioactive dye) used 38900

E&M

Consult: 99251, -52, -53, -54, -55

ER visit: 99281, -82, -83, -84, -85

Admit: 99221, -22, -23, -24, -25

Subsequent: 99231, -32, -33, -34, -35

Discharge 99238 for $\leq 30'$, 99239 for $>30'$

Observation initial: 99218, -19, -20

Observation subsequent: 99224, -25, -26

Observation discharge: 99217

Ear

Tympanostomy with tube 69433 (20)

Removal of tympanostomy tube under anesthesia 69424 0d (6/33)

Removal of ear foreign body under anesthesia 69205 10d (9/149)

Tympanic membrane repair (paper patch) 69610 (38/105)

Binocular microscopy 92504 (3/8)

Myringoplasty 69620 10d (73/181)

Tympanoplasty including paper patch 69631 90d (89/236)

Partial auricectomy with simple repair 69110 (46/118)

Conchal cartilage graft 21235 (69/186)

Composite graft (eg. Full thickness external ear or nasal ala) 15760 (83/208)

Cerumen disimpaction without same-day audiogram 69210 (5/13)

...with same day audiogram G0268 (5/14)

Mastoid debridement, simple 69220 (8/35)

Trans tympanic medication injection 69801 (22/201)

BAHA implant 69714

Osia implant 69716 (61/162)

Endoscopy:

Flexible laryngoscopy with removal of foreign body 31577 (27/63)

Direct laryngoscopy with biopsy 31535 (19/54)

Direct laryngoscopy with micro 31526 (16/44)

Direct laryngoscopy with biopsy and telescope/microscope **31536** (21/60)

Direct laryngoscopy (operative) 31525 (25/65)

Pharyngoscopy and tracheoscopy after TL 31525 (25/65)

Bronchoscopy diagnostic 31622 (24/83)

Bronchoscopy with BAL 31624 (25/84)

Bronchoscopy with removal of foreign body 31635 (18/55)

Esophagoscopy with optical endomicroscopy 43206?

Rigid esophagoscopy 43191 (15/32)

Rigid esophagoscopy with biopsy(-ies) 43193 (17/45)

Rigid esophagoscopy with removal of foreign body 43194 (20/42)

Endoscopic Zenker's 43180 (55/137)

Face:

Alloderm or Gore-Tex facial sling 15275 (16/38)
Suture of facial nerve, extracranial 64864 (86/277)
Brow lift 67900 (49/134)
Upper blepharoplasty 15822 (-50) (39/92)
Lower blepharoplasty 15823 (-50) (54/151)
Radical resection < 2 cm 21015, >= 2 cm 21016 (70/124)

Flaps:

Pectoralis myocutaneous 15734 (152/391)
Island pedicle flap requiring identification and dissection of an anatomically named axial vessel 15740 (83/216)
Thrombectomy of arterial or venous graft 35875 (61/179)
-----with revision of arterial or venous graft 35876 (96/288)
Excision of infected graft in neck 35901?
Formation Forehead flap with preservation of vascular pedicle 15731 (99/259)
 Takedown (2nd stage) of forehead flap: 15630 (34/85)
Delayed flap sectioning 15620 (32/78)
Formation of pedicled graft with or without transfer (e.g., 1st stage of DP flap) 15574 (73/196)

Injections (CPT for injection and CPT J code for product)

Fat harvest: 20926?
Fat injection: 17999
Botox Cash: J0585 x number of units (6.19/8.00/chg)
Dysport Cash: J0586 x number of units
Botox Medical – 2 codes: **The product:** J0585 for the product x number of units used and whether you used a 100 unit or 200 unit vial.
And the injection:
64615--chemodeneration of muscle(s) innervated by facial, trigeminal, cervical spinal and accessory nerves, bilateral (eg for chronic migraine) (156/361)
64650—chemodeneration of eccrine glands, both axillae (86/205)
64653—chemodeneration of eccrine glands, other areas (e.g., scalp, face, neck) (10/24)

Filler G0429

Hyaluronidase injection (up to 150 U) J3470 (0/3)

Kenalog/triamcinolone intralesional J3301 (10 mg is one billing unit; 20 mg = 2 units, etc.) (.11/.20)

Injection intralesional 11900 (55/136) (If >= 8 lesions, 11901) (7/18)

Kybella C20072

Liposuction and fat harvest 20926 (nfrvu 12.35, 90d) vs. 15770 (nfrvu 8.29)

Fat transfer- in addition to harvest, use 17999.

Larynx

Laryngoscopy w/ micro in OR 31526 (16/44)

Direct laryngoscopy 31525 (25/65 non-facil, 16/45 facility)

Laryngoscopy with biopsy 31541 (26/75)

Vocal cord injection 31570 (23/64)

Supraglottic laryngectomy 31367 (218/572) (combined with RND-> 31368) (241/640)

Total laryngectomy 31360 (206/529) (combined with RND-> 31368) (255/666)

Laser

Laser resurfacing of face 17999

Laser hair removal 17380

Miscellaneous:

Otolaryngologic exam under anesthesia 92502 0d (9/28)

Tobacco cessation counseling: 3-10 min 99406 (2/3) ; > 10 min 99407 (3/6)

Neck:

Incision and drainage, single and simple 10060 10d (nonfacil 12/27) (facil 10/24)

Incision and drainage abscess, complicated or multiple 10061 (nonfacil 21/47) (facil 18/43)

Inspire implant 64582 (facil 88/235)

Branchial cleft excision 42815 (54/149)

Modified radical neck dissection 38724 (146/391)

Radical neck dissection 38720 (135/361)

Supraomohyoid neck dissection (using selective neck as this too) 38700 (81/217)

Transposition of cranial nerve 64716?

Resection of soft tumor (eg sarcoma) from neck: <5 cm 21557 (97/171); >= 5 cm 21558

Partial Glossectomy (<1/2) 41120 (105/273)

Hemiglossectomy 41130 (130/339)

Total Glossectomy without neck dissection but +/- trach 41140 (217/588)

Total glossectomy with unilateral radical neck dissection +/- trach 41145 (275/736)

Total laryngectomy without radical neck dissection 31360 (2059/5289) (combined with RND-> 31368) (2546/6656)

Tracheoesophageal fistula 31611 (15.47) (53/139)

Cricopharyngeal myotomy 43030 (52/144)

Tongue, mandible rsxn without radical neck dissection 41150 (219/582)

Tongue, mandible rsxn with radical neck dissection 41155 (299/787)

Sentinel node: Usually bx/removal of deep node 38510, inj of radio tracer 38792, **and** intraop sent node ID with dye 38900

 Superficial neck node biopsy: 38500 (26/69)

 Deep node neck biopsy: 38510 (42/117)

 Sentinel node biopsy using radiotracer/gamma probe: 38792

 Injection of non-radioactive dye (e.g., methylene blue): 38900 (14/37)

Deep cervical node bx 38510 (424/1169)

Injection into the trachea (e.g., lidocaine before an awake trach) 31612 (5/21)

Tracheobronchoscopy through tracheostomy 31615 (non facil 17/48) (facil 12/36)

Tracheostomy (planned) 31600 (11.49) (31/114)

Tracheostomy (emergent) 31603 (33/65!)

Tracheostomy with skin flap 31610 (20.53) (96/188)

Trach change before fistula established 31502 (4/10)

Exploration of neck for hematoma, hemorrhage, or infection 35800 (74/140)

Ligation of external carotid artery 37600 (74/238)

Ligation of thoracic duct 38380 (57/155)

Parotidectomy, superficial 42415 90d (106/309)

Parotidectomy, total with CN7 preservation 42420 90d (119/355)

Parotidectomy, total with CN7 sacrifice 42425 (84/233)

Parotidectomy, total with unilateral neck dissection 42426 90d (136/380)

Submandibular gland excision 42440 (42/128)

Submandibular gland repositioning – using 42699 ?

Parathyroidectomy 60500 (99/294)
Parathyroid autotransplantation 60512 (25/73)
Hemithyroidectomy 60220 90d (72/221)
Total thyroidectomy 60240 90d (93/283)
Thyroidectomy with limited neck dissection 60252 90d (135/380)
Thyroidectomy - completion after previous partial thyroidectomy 60260 (111/318)
Thyroidectomy with limited neck dissection 60252 (135/380)
Thyroidectomy with radical neck dissection 60254 (170/488)
Division of thyroid isthmus/isthmusectomy 60200 (68/187)
Thyroglossal duct cyst excision 60280 (45/124)
I&D PTA 42700* (associated pre-and post-operative services are not included in code) (nonfacil 19/36) (facil 13/36)
I&D retropharyngeal or parapharyngeal abscess via mouth 42720 (non facil 50/122) (facil 39/109)
I&D retropharyngeal or parapharyngeal abscess via external approach ?
Neck lift (Rhytidectomy with platysma tightening) 15825 (179/315/chg)

Oral:

V- excision of lip 40520 (50/97)
Biopsy tongue, anterior 2/3rds 41100 10d (non-facil 18/43) (facil 11/30)
Biopsy tongue, posterior 1/3rd 41105 10d (non-facil 18/43) (facil 11/30)
Excision lesion of tongue with closure 41112 90d (non-facial 33/83) (facil 24/66)
Glossectomy <1/2 ("tissue grafting is rarely needed") 41120 (105/273)
Hemiglossectomy ("tissue grafting is rarely needed") 41130 (130/339)
---If glossectomy with lymph nodes or other muscles are removed, use 41135 (partial glossectomy with unilateral radical neck dissection)
Excision of vestibule of mouth mucosa 40812 10d (non-facil 28/72) (facil 18/52)
Excision of vestibule of mouth, complex, including underlying muscle 40816 (facil 30/84)
Radical resection of malignant tumor of mandible: 21045 (120/355)
Open tx complicated mand. Fx with interdental fixation 21462 (116/285)
Open tx mandibular fx w/o interdental fixation 21461 (facil 104/255)
Mandible osteotomy 21198 (103/331)
Repair of anterior palate (eg with vomer flap) 42235 (73/196)
Closure of oro-maxillary fistula 30580 (60/164)
Closure of oro-nasal fistula 30600 (51/150)
Placement of brachytherapy catheters: 41019 (47/139)
Lingual frenulum release: 41115 (non-facil 25/61) (facil 14/39)

Larynx/Pharynx/esophagus

Transcervical medialization thyroplasty (eg ishikki) 31591 (110/259)
Direct laryngoscopy 31525 (non-facil 247/650) (facil 16/45)
Laryngoscopy, flex fiberoptic (non-facil 125/300) (facil 7/21)
Micro-direct laryngoscopy 31526 (16/44)
Micro- direct laryngoscopy with biopsy 31535 0d (19/54)
Micro-direct esophagoscopy (with optical endomicroscopy) 43206
I&D PTA 42700* (associated pre-and post-operative services are not included in code) (nonfacil 19/36) (facil 13/36)
I&D retropharyngeal or parapharyngeal abscess via mouth 42720 (non facil 45/122) (facil 39/109)
I&D retropharyngeal or parapharyngeal abscess via external approach ?
Uvulectomy 42140 90d (16/40)

UPPP 42145 90d (69/188)
T&A: < 12 yr 42820 (29/79); >= 12 yr 42821 90d (30/83)
Tonsillectomy <12 yr 42825 (27/70); >=12 yr 42826 (25/68) 90d
Adenoidectomy <12 yr 42830 (21/55); >=12 yr 42831 (23/60) 90d
Radical tonsillectomy and/or RMT ...without closure 42842 (101/257)
... with closure 42844 (137/363)
... with other flap 42845 (221/598)
Lingual tonsillectomy 42870 (58/150)
Limited pharyngectomy 42890 (142/369)
Partial pharyngectomy with direct closure 42892 (187/485)
Partial pharyngectomy with myocutaneous flap 42894 (237/623)
Suture pharynx for wound or injury 42900 (33/96)
Control or oropharyngeal hemorrhage (e.g., tonsil bleed) SIMPLE 42960 (16/46)
... complicated, requiring hospitalization 42961 (42/114)
... with secondary surgical intervention 42962 (say "secondary surgical intervention included..." e.g., ligation of external carotid via neck incision or "Reapproximation of tonsillar pillars with mattress sutures to control post-tonsillectomy bleeding.") (51/141)
Zenker's diverticulectomy 43130 (80/219)
Oropharynx biopsy 42800 10d (non-facil 155/400) (facil 11/30)

Sinonasal:

Removal of nasal foreign body in office: 30300 (21/54)
Removal of nasal foreign body under general anesthesia: 30310 (21/52)
Computer Navigation 61782 (17/54)
Closed reduction nasal fx without stabilizer/fixation 21315 0d (non-facil 15/70) (facil 6/42)
Closed reduction nasal fx with stabilizer/fixation 21320 10d (non-facil 21/68) (facil 10/40)
Endoscopic nasopharyngoscopy with biopsy – Use 92511 (non-facil 113/414) (facil 4/17) and either (42804 for simple (non-facil 21/50) (facil 12/30) or 42806 for survey (non-facil 23/57) (facil 14/36))
Nasopharyngoscopy (w/ or w/o bx 92511) (non-facil 11/41) (facil 4/17)
Nasal endoscopy with polypectomy/debridement/biopsy 31237 (RT/LT/50) 0d
Sinus endoscopy entering maxillary (Christie says through Caldwell-Luc???) : 31233 (27/67)
Entering sphenoid: 31235 (31/78)
Cautery for epistaxis without endoscopy (simple): 30901 (15/27)
Extensive packing anterior nose: 30903 (24/48)
Nasal endoscopy with control of hemorrhage: 31238 (non-facil 22/87) (facil 17/56)
Concha bullosa reduction 31240 (not billable in office. Facil 16/45)
Partial maxillectomy 21049 (122/367)
Total maxillectomy 31225 (181/485)
.... With orbital exenteration 31230 (202/545)
Turbinate submucous resection 30140 uh (non-facil 293/1084) (facil 18/73)
Total rhinectomy 30160 (82/208)
Outfracture of turbinate 30930 (not billable in office. Facil 12/31)
Septoplasty 30520 (not billable in office. Facil 67/155)
Septal button placement 30220 (non-facil 30/70) (facil 13/33)
Repair of nasal vestibular stenosis 30465 (103/257)
... conchal cartilage graft 21235 90d (non-facil 72/200) (facil 56/161)

Total ethmoidectomy AND Frontal sinusotomy (w/ or w/o removal) 31253 (RT/LT/50) 0d (50/127)
Total ethmoidectomy AND Sphenoidotomy without removal of tissue 31257 (RT/LT/50) 0d (45/113)

Total ethmoidectomy AND Sphenoidotomy with removal of tissue from sphenoid 31259 (RT/LT/50) Od (47/120)
Partial ethmoidectomy 31254 (RT/LT/50) Od (24/49)
Total ethmoidectomy 31255 (RT/LT/50) Od (33/116)
Maxillary antrostomy 31256 (RT/LT/50) Od (18/57)
Maxillary antrostomy with removal of tissue 31267 (RT/LT/50) Od (27/92)
Frontal sinusotomy (w/ w/o removal) 31276 (RT/LT/50) Od (38/147)
balloon frontal 31296 (RT/LT/50) Od (non-facil 1673/9718) (facil 18/56)
balloon maxillary 31295 (RT/LT/50) Od (non-facil 1648/5203) (facil 16/47)
Sphenoidotomy 31287 (Not billable in office. Facil 20/67)
balloon sphenoid 31297 (RT/LT/50) Od (non-facil 163/962) (facil 14/46)
Lavage by cannulation, maxillary sinus (antrum puncture or natural ostium) 31000 (non-facil 18/44) (facil 11/27)
Lavage by cannulation, sphenoid sinus (antrum puncture or natural ostium) 31002 (19/51)
Rhinaer (post nasal nerve, septal swell body) 30117 (non-facil 95/198) (facil 33/85); contralateral is 30117-59 except for Medicare and Humana, which is 30117-xxs
Vivaer (turbينات) 30801 (non facil 21/54) (facil 15/33)

Skin

Destruction of premalignant lesion (e.g., AK by e.g., CO2 laser, liquid nitrogen)

First lesion: 17000 (non-facil 7/19)

Each lesion #2-14: 17003 (0.6/2)

Destruction of 15 or more lesions: 17004 (16/43)

(e.g. ResurFx) Destruction of benign lesions (e.g., warts, skas, but not vascular proliferative or skin tags):

First lesion = 17110

Up to 14 lesions = 17110; 15 or more lesions=17111

Chemical cauterization of granulation tissue 17250 (9/18)

Destruction of malignant lesion (e.g., SCCIS by CO2 laser):

Ear, face, lip, nose <=0.5 cm: 17280 (14/33)

0.6 – 1.0 cm: 17281 (18/43)

1.1-2.0 cm: 17282 (20/49)

Excision of malignancy (size includes margins) 10d

Trunk, arms, or legs 0-0.5 cm = 11600 (nf 19/43) (f 12/28); 0.6-1.0 cm = 11601 (nf 22/53) (15/36);

1.1-2.0 cm = 11602 (nf 238/580) (f 158/399); 2.1-3.0 cm = 11603 (nf 27/66) (f 19/48); 3.1-4.0 cm =

11604 (nf 30/73) (f 21/53); >4.1 cm = 11606 (nf 44/105) (f 32/79)

Scalp, neck, hands, feet 0-0.5 cm = 11620; 0.6-1.0 cm = 11621; 1.1-2.0 cm = 11622; 2.1-3.0 cm =

11623; 3.1-4.0 cm = 11624; >4.1 cm = 11626

Face, ears, eyelids, nose, lips 0-0.5 cm = 11640; 0.6-1.0 cm = 11641; 1.1-2.0 cm = 11642; 2.1-3.0 cm =

11643; 3.1-4.0 cm = 11644; >4.1 cm = 11646

Excision of benign lesion (size includes margins) 10d

Trunk, arms, legs: <=0.5 cm=11400; 0.6-1.0 cm=11401; 1.1-2.0 cm=11402; 2.1-3.0 cm =11403;

3.1-4.0=11404; >4.0 cm=11406.

Scalp, neck, hands, feet <=0.5 cm=11420; 0.6-1.0 cm=11421; 1.1-2.0 cm=11422; 2.1-3.0 cm

=11423; 3.1-4.0=11424; >4.0 cm=11426.

Face, ears, eyelids, nose, lips, mucus membrane: <=0.5 cm=11440; 0.6-1.0 cm=11441; 1.1-2.0

cm=11442; 2.1-3.0 cm =11443; 3.1-4.0=11444; >4.0 cm=11446.

Destruction benign lesions other than skin tags (e.g., laser) Up to 14 lesion2, 17110; 15 or more lesions 17111

Adjacent tissue transfer

Trunk <10 cm² = 14000; 10.1-30 cm²=14001;
Scalp, arms, legs: <10 cm²=14020; 10.1-30 cm² = 14021;
Forehead, cheeks, chin, mouth, neck, axillae, hands, feet: <10 cm²=14040; 10.1-30 cm²= 14041;
Eyelids, nose, ears, or lips: <10 cm²=14060; 10.1-30cm²=14061;
Any area 30.1-60 cm² = 14301;
Any area additional 30 cm² = **14302**

Intermediate complexity closure (?layered closure but no undermining): Multiple wounds' length is added and one code applied.

Face, ears, eyelids, nose, lips, mucus membranes <=2.5 cm 12051; 2.6-5cm=12052; 5.1-7 cm=12053
Neck 2.6-5 cm 12042;
Scalp, trunk, extremities <=2.5 cm=12031, 2.6-7.5 cm=12032

Complex wound closure (layered, including undermining): Multiple wounds' length is added and one code applied.

Trunk 1.1-2.5 cm=13100, 2.6-7.5 cm=13101; each addn'l 5 cm=+13102 x n
Scalp, arms, legs 1.1-2.5 cm=13120; 2.6-7.5 cm =13121; each addn'l 5 cm=+13122 x n
Forehead, cheeks, chin, mouth, neck, axillae, hands, feet 1.1 – 2.5 cm 13131; 2.6-7.5=13132;
each addn'l 5 cm=+13133 x n

Eyelids, nose, ears, lips 1.1 – 2.5 cm=13151; 2.6-7.5 cm=13152; each addn'l 5 cm=+13153 x n

Secondary closure of surgical wound or dehiscence, extensive or complicated 13160 (NFRVU 23.18)

Excision subcutaneous tumor face or scalp, suprafascial (e.g., lipoma): < 2 cm 21011, >= 2 cm 21012

(can't code closure separately). Note: pilar cysts, sebaceous cysts should be coded as skin excision and closure.

Excision subcutaneous tumor face or scalp, **sub**fascial (eg subgaleal, intramuscular)(e.g., lipoma) < 2 cm 21013; > 2 cm 21014.

Surgical creation/preparation of site for skin graft face, scalp, eyelids, mouth, neck, ears, orbits, hands, feet, first 100cm² 15004

Split thickness skin graft 151__

Full thickness skin graft:

forehead, cheek, chin, mouth, neck, axillae, genitalia, hands, feet (first 20 cm² or less) 15240,
15241 for each additional 20 cm² or part thereof.

Nose, ears, eyelids, lips – first 20 cm² : 15260
15261 for each additional 20 cm² or part thereof.

Scalp, arms, legs (first 20 cm² or less): 15220,
15221 for each additional 20 cm² or part thereof.

Trunk (first 20 cm² or less): 15200,
15201 each additional 20 cm² or part thereof.

Kenalog/Triamcinolone Injection 96372 and J?

ResurFx 0479T (Doesn't pay. Use 17003, 17004, 17106, 17107)

Tattoo removal < 6 cm=11920

Ultrasound:

Diagnostic u/s neck 76536

u/s guided FNA first lesion 10005

u/s guided FNA @ additional lesion 10006

FNA without u/s guidance 10021

Needle biopsy of salivary gland 42400

E&M

Outpatient New 1	99201
Outpatient New 2 15-29 min	99202 (7/13)
Outpatient New 3 30-44 min	99203 (11/19)
Outpatient New 4 45-59 min	99204 (16/29)
Outpatient New 5 60-74 min	99205 (22/37)
Outpatient Consult 1	99241 (—/10)
Outpatient Consult 2 30 min	99242 (—/19)
Outpatient Consult 3 40 min	99243 (—26)
Outpatient Consult 4 60 min	99244 (—/38)
Outpatient Consult 5 80 min	99245 (—/47)
Outpatient Est 1	99211 (2/4)
Outpatient Est 2 10-19 min	99212 (6/8)
Outpatient Est 3 20-29 min	99213 (9/12)
Outpatient Est 4 30-39 min	99214 (13/18)
Outpatient Est 5 40-54 min	99215 (18/26)
<u>Prolonged services 1st hour (use in addition to 99215) 99354</u>	
Observation care: Discharge services	99217
Observation care: Low	99218
Observation care: Moderate	99219
Observation care: High	99220
Subsequent observation care: low	99224
Subsequent observation care: med	99225
Subsequent observation care: high	99226
Initial Hospital (primary service): Low	99221
Initial Hospital (primary service): Med	99222
Initial Hospital (primary service): High	99223
Subsequent Hospital: Low 15 min	99231 (4/7)
Subsequent Hospital: Medium 25 min	99232 (7/13)
Subsequent Hospital: High 35 min	99233 (10/19)
Inpatient discharge ≤ 30 min	99238
Inpatient discharge > 30 min	99239
Hospital consult 1	99251 (—/10)
Hospital consult 2 40 min	99252 (—/16)
Hospital consult 3 55 min	99253 (—/24)
Hospital consult 4 80 min	99254 (—/35)
Hospital consult 5 110 min	99255
Emergency room (no primary Svc) 1	99281 (2/5)
Emergency room (no primary Svc) 2	99282 (4/9)
Emergency room (no primary Svc) 3	99283 (7/14)
Emergency room (no primary Svc) 4	99284 (12/25)
Emergency room (no primary Svc) 5	99285 (18/37)